

# Author index to volume 199

199 (1995) 207 199 (1995) 33 199 (1995) 245
199 (1995) 33
199 (1995) 245
199 (1995) 195
199 (1995) 1
199 (1995) 285
199 (1995) 253
199 (1995) 207
199 (1995) 263
199 (1995) 253
199 (1995) 253
199 (1995) 163
199 (1995) 285
199 (1995) 263
199 (1995) 285
199 (1995) 177
199 (1995) 275
199 (1995) 253
199 (1995) 215
199 (1995) 145
199 (1995) 313
199 (1995) 163 199 (1995) 145

Habas, Mp. and A. Dargelos, Ab initio CI calculations of electronic and vibrational	
spectra of diazomethane	199 (1995) 177
Heinrich, P. and F. Stuhl, Electronic quenching of CH(A <sup>2</sup> Δ) and NH(A <sup>3</sup> Π) between 300	
and 950 K	199 (1995) 105
Heinrich, P. and F. Stuhl, Temperature dependent quenching of $CH(A^2\Delta)$ , $NH(A^3\Pi)$ ,	
NH( $c^1\Pi$ ), and PH( $A^3\Pi$ ) by H <sub>2</sub>	199 (1995) 297
Huie, R.E., see Fahr, A.	199 (1995) 275
Illas, F., see Pacchioni, G.	199 (1995) 155
Isakov, S.V., N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev, An exactly solvable model of	177 (1775) 155
the dipole-dipole relaxation of the electron spins of micellized radical pairs	199 (1995) 119
Ishii, K., H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama, Raman	
spectra and relaxation in amorphous naphthalene	199 (1995) 245
	100 (1005) 65
Johr, T., see Werncke, W.	199 (1995) 65
Jüpner, HJ., see Werncke, W.	199 (1995) 65
Kawahara, M., see Ishii, K.	199 (1995) 245
Kerstel, E.R.Th., M. Becucci, G. Pietraperzia and E. Castellucci, High-resolution absorp-	
tion, excitation, and microwave-UV double resonance spectroscopy on a molecular	
beam: S <sub>1</sub> aniline	199 (1995) 263
Koyama, K., see Ishii, K.	199 (1995) 245
Kryschi, C., see Barbara, P.F.	199 (1995) 285
Kuntz, P.J., I. Paidarová and R. Polák, Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{1}\Sigma^{+}) \rightarrow H(^{2}S_{g}) + HCL^{+}(A^{2}\Sigma^{+})$ from a diatomics-in-molecules effective	
Hamiltonian	199 (1995) 53
Lau, A., see Werncke, W.	199 (1995) 65
Lehn, JM., see Blanchard-Desce, M.	199 (1995) 253
López, M.R., see Martínez, E.	199 (1995) 305
Lukzen, N.N., see Isakov, S.V.	199 (1995) 119
Martínez, E., M.R. López, A. Notario and F. Poblete, The A(0+)-X(0+) transition of BiBr:	
radiative lifetimes of the A state	199 (1995) 305
Mawhinney, R.C., P.J. Bruna and F. Grein, An ab initio investigation of the infrared and	177 (1775) 505
visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN	199 (1995) 163
Ming, L., T.D. Sewell and S. Nordholm, A simulation study of energy transfer in methyl	(,
isocyanide-inert gas collisions	199 (1995) 83
Morozov, V.A., see Isakov, S.V.	199 (1995) 119
Nakashima, K., see Yonekura, N.	199 (1995) 313
Nakayama, H., see Ishii, K.	199 (1995) 245
Nayak, A.K., see Fahr, A.	199 (1995) 275
Nonella, M. and P. Tavan, An unscaled quantum mechanical harmonic force field for	
p-benzoquinone	199 (1995) 19
Nordholm, S., see Ming, L.	199 (1995) 83
Notario, A., see Martínez, E.	199 (1995) 305
Ogawa, T., see Yonekura, N.	199 (1995) 313

	d F. Illas, Does the electronegativity scale apply to ionic crystals as to	
	theoretical study of the bonding character in molecular and crystalline	
	oxides based on dipole moments	199 (1995) 155
Paidarová, I., see		199 (1995) 53
structure and	N. Raghunandan and R. Sumathi, Ab initio study of the molecular vibrational spectra of dichlorine hexoxide and its significance to strato-	
spheric ozone		199 (1995) 183
Peyerimhoff, S.D.		199 (1995) 145
Pfeiffer, M., see		199 (1995) 65
	see Kerstel, E.R.Th.	199 (1995) 263
Poblete, F., see l		199 (1995) 305
Polák, R., see K	untz, P.J.	199 (1995) 53
	.N., see Parthiban, S.	199 (1995) 183
Raoult, M., see		199 (1995) 215
Reineker, P., see	e Szőcs, V.	199 (1995) 1
Reza Ahmadi, G	., J. Almlöf and I. Røeggen, The interatomic potential for the $X^{-1}\Sigma^{+}$ state	
	eNa <sup>+</sup> and HeNa <sup>+</sup>	199 (1995) 33
Rode, B.M., see		199 (1995) 129
	Reza Ahmadi, G.	199 (1995) 33
	., see Barbara, P.F.	199 (1995) 285
Runser, C., see	Blanchard-Desce, M.	199 (1995) 253
Rusin, L.Y., see	Azriel, V.M.	199 (1995) 195
Sagarik, K. and	E. Spohr, Statistical mechanical simulations on properties of liquid	
pyridine		199 (1995) 73
Sagdeev, R.Z., s		199 (1995) 119
	Schriver-Mazzuoli, L.	199 (1995) 227
	oli, L., A. Schriver and M. Wierzejewska-Hnat, Fourier transform infrared	
	r dioxide dimer. II. Argon matrix	199 (1995) 227
	see Azriel, V.M.	199 (1995) 195
Sewell, T.D., se		199 (1995) 83
Spohr, E., see S	agarik, K.	199 (1995) 73
Stuhl, F., see He	einrich, P.	199 (1995) 105
Stuhl, F., see He		199 (1995) 297
Sumathi, R., see		199 (1995) 183
	ňacký and P. Reineker, Effects of a quantum heat bath on the dynamics of	
a nonlinear s	ubsystem: reduced density matrix approach	199 (1995) 1
Tavan, P., see N		199 (1995) 19
Trommsdorff, H	I.P., see Barbara, P.F.	199 (1995) 285
	B.M. Rode, Na+ in liquid hydroxylamine: pair potential function from ab	
	tions and Monte Carlo computer simulation of a 0.36 M NaCl solution	
(2 NaCl/200	NH <sub>2</sub> OH)	199 (1995) 129
Von Arnim, M.,		199 (1995) 145
Von Borczysko	wski, C., see Barbara, P.F.	199 (1995) 285

Werncke, W., M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner, Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes Wierzejewska-Hnat, M., see Schriver-Mazzuoli, L.	199 (1995) 65 199 (1995) 227
Yokoyama, J., see Ishii, K.	199 (1995) 245
Yonekura, N., K. Furuya, K. Nakashima and T. Ogawa, Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$ collisions	199 (1995) 313



# Subject index to volume 199

# Methods

### Theoretical

Coupling schemes and perturbative treatments	
An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Transport quantum mechanics	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Equilibrium statistical mechanics	
Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso and B.M. Rode	199 (1995) 129
Non-equilibrium thermodynamic and hydrodynamic theories	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Ab initio schemes for stationary properties	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella and P. Tavan	199 (1995) 19
The interatomic potential for the X <sup>1</sup> Σ <sup>+</sup> state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza	100 (1005) 22
Ahmadi, J. Almlöf and I. Røeggen Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	199 (1995) 33
and B.M. Rode	199 (1995) 129
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155

An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	100 (1005) 162
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	199 (1995) 163
Habas and A. Dargelos	199 (1995) 177
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan	
and R. Sumathi	199 (1995) 183
Computational and simulation methods	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	100 (1005) 10
and P. Tavan  Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$	199 (1995) 19
(A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
and R. Polák	199 (1995) 53
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene	
vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr An exactly solvable model of the dipole-dipole relaxation of the electron spins of	199 (1995) 73
micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte	133 (1330) 113
Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	
and B.M. Rode	199 (1995) 129
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M.	100 (1005) 105
Azriel, L.Y. Rusin and M.B. Sevryuk  Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H.	199 (1995) 195
Bässler	199 (1995) 207
Molecular dynamics and scattering theory	
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$	
(A <sup>2</sup> Σ <sup>+</sup> ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
and R. Polák	199 (1995) 53
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm	199 (1995) 83
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M.	199 (1993) 63
Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Vibrational structure of the Ar-NO+ van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
Experimental	
Infrared spectroscopy	
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
Raman spectroscopy	
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M.	
Kawahara, K. Koyama, K. Ando and J. Yokoyama	199 (1995) 245

Visible and UV spectroscopy	
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with	
strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce,	
C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy	177 (1773) 233
on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	
Castellucci	199 (1995) 263
Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K.	199 (1993) 203
Nayak and R.E. Huie	199 (1995) 275
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C.	199 (1993) 213
von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P.	
Trommsdorff	199 (1995) 285
	, , , , , , , , , , , , , , , , , , , ,
Fluorescence spectroscopy	
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and	100 (100 5) 105
F. Stuhl	199 (1995) 105
Temperature dependent quenching of CH( $A^2\Delta$ ), NH( $A^3\Pi$ ), NH( $c^1\Pi$ ), and PH( $A^3\Pi$ ) by	()
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	100 (1005) 105
López, A. Notario and F. Poblete	199 (1995) 305
Electron impact spectroscopy	
Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in e-H <sub>2</sub>	
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
Laser methods	
Electronic quenching of CH( $A^2\Delta$ ) and NH( $A^3\Pi$ ) between 300 and 950 K, P. Heinrich and	
F. Stuhl	199 (1995) 105
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with	
strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce,	
C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
Temperature dependent quenching of CH( $A^2\Delta$ ), NH( $A^3\Pi$ ), NH( $C^1\Pi$ ), and PH( $A^3\Pi$ ) by	
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
Non-linear optical spectroscopy	
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene	
vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Atomic and molecular beam techniques	
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy	
on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	
Castellucci	199 (1995) 263
Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$	199 (1993) 203
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
Total and a comment of the comment o	(, -10
Time-resolved experiments	
4.15 -4.15	
The A(0 <sup>+</sup> )-X(0 <sup>+</sup> ) transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R. López, A. Notario and F. Poblete	199 (1995) 305

# **Objects**

## **Bulk systems**

Gases	
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming, T.D. Sewell and S. Nordholm	199 (1995) 83
Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K.	100 (1005) 275
Nayak and R.E. Huie Temperature dependent quenching of $CH(A^2\Delta)$ , $NH(A^3\Pi)$ , $NH(c^1\Pi)$ , and $PH(A^3\Pi)$ by	199 (1995) 275
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
Supersonic beams	
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E. Castellucci	199 (1995) 263
Custoffacer	177 (1773) 203
Liquids neat	100 (1005) 50
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Liquid mixtures and solutions	
An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Na <sup>+</sup> in liquid hydroxylamine: pair potential function from ab initio calculations and Monte Carlo computer simulation of a 0.36 M NaCl solution (2 NaCl/200 NH <sub>2</sub> OH), S. Vizoso	
and B.M. Rode	199 (1995) 129
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce,	199 (1993) 143
C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
Crystals	
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study	
of the bonding character in molecular and crystalline alkaline-earth oxides based on dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
-mixed	
Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P.	
Trommsdorff	199 (1995) 285
Glasses	
Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama	199 (1995) 245

Polymers	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H. Bässler	199 (1995) 207
Thin films	
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H.	199 (1995) 65
Bässler	199 (1995) 207
Microscopic systems	
Molecules (neutral and ionic)	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan	199 (1995) 19
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming,	
T.D. Sewell and S. Nordholm	199 (1995) 83
-diatomic	
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study	
of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoioniza-	100 (1008) 162
tion spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	199 (1995) 163
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M. Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$	177 (1775) 175
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	
López, A. Notario and F. Poblete	199 (1995) 305
amall naturation	
-small polyatomics  An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan	199 (1995) 19
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
(A <sup>2</sup> Σ <sup>+</sup> ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
and R. Polák	199 (1995) 53
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	
Habas and A. Dargelos	199 (1995) 177
-aromatics	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H.	
Bässler	199 (1995) 207
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy	
on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	199 (1995) 263
Castellucci	133 (1333) 203

Phenomena	
Quasiparticles (including excitons)  Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
Temperature dependent quenching of CH( $A^2\Delta$ ), NH( $A^3\Pi$ ), NH( $c^1\Pi$ ), and PH( $A^3\Pi$ ) by H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Free radicals (including hydronium and muonium) Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and F. Stuhl	199 (1995) 105
-clusters  The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation using effective potentials for the representation of the water molecules, I. Frank, S. Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
-van der Waals molecules Vibrational structure of the Ar-NO <sup>+</sup> van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
matrix approach, V. Szőcs, P. Baňacký and P. Reineker The interatomic potential for the X <sup>1</sup> Σ <sup>+</sup> state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza Ahmadi, J. Almlöf and I. Røeggen	199 (1995) 1 199 (1995) 33
-dimers  Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density	100 (1005) 1
Molecular aggregates Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce, C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
-other large  Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65

#### Molecular structure

An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella and P. Tavan 199 (1995) 19

Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan	
and R. Sumathi	199 (1995) 183
Fourier transform infrared study of sulfur dioxide dimer. II. Argon matrix, L. Schriver-	
Mazzuoli, A. Schriver and M. Wierzejewska-Hnat	199 (1995) 227
Vibrations and rotations of molecules	
An unscaled quantum mechanical harmonic force field for p-benzoquinone, M. Nonella	
and P. Tavan	199 (1995) 19
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	
Habas and A. Dargelos	199 (1995) 177
Ab initio study of the molecular structure and vibrational spectra of dichlorine hexoxide	
and its significance to stratospheric ozone depletion, S. Parthiban, B.N. Raghunandan	
and R. Sumathi	199 (1995) 183
Vibrational structure of the Ar-NO+ van der Waals cation, I. Fourré and M. Raoult	199 (1995) 215
High-resolution absorption, excitation, and microwave-UV double resonance spectroscopy	
on a molecular beam: S <sub>1</sub> aniline, E.R.Th. Kerstel, M. Becucci, G. Pietraperzia and E.	
Castellucci	199 (1995) 263
Casteriacei	199 (1993) 203
Electronic structure and states	
Theoretical charge transfer error sections for II+ IICI(V 15+) , II(25) + IICI+	
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová	
	100 (100 =) ==
and R. Polák	199 (1995) 53
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation	
using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Does the electronegativity scale apply to ionic crystals as to molecules? A theoretical study	
of the bonding character in molecular and crystalline alkaline-earth oxides based on	
dipole moments, G. Pacchioni and F. Illas	199 (1995) 155
Ab initio CI calculations of electronic and vibrational spectra of diazomethane, Mp.	
Habas and A. Dargelos	199 (1995) 177
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	
López, A. Notario and F. Poblete	199 (1995) 305
Dopon, 11. Notatio and 11. 1 colore	.,, (1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Electric and magnetic properties	
Efficiency of charge recombination in organic light emitting diodes, U. Albrecht and H.	
Bässler	199 (1995) 207
Dassici	199 (1993) 201
Malandar between them	
Molecular interactions  The interactionic potential for the $X^{-1}\Sigma^{+}$ state of ArNa <sup>+</sup> , NeNa <sup>+</sup> and HeNa <sup>+</sup> , G. Reza	
The interatomic potential for the X 2' state of ArNa', NeNa' and HeNa', G. Reza	100 (1005) 22
Ahmadi, J. Almlöf and I. Røeggen	199 (1995) 33
Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr	199 (1995) 73
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and	
F. Stuhl	199 (1995) 105
The solvent shift in the $n \to \pi^*$ excitation of $CH_2O \cdot nH_2O$ : An MRD-CI investigation	
using effective potentials for the representation of the water molecules, I. Frank, S.	
Grimme, M. von Arnim and S.D. Peyerimhoff	199 (1995) 145
Temperature dependent quenching of CH( $A^2\Delta$ ), NH( $A^3\Pi$ ), NH( $c^1\Pi$ ), and PH( $A^3\Pi$ ) by	
H <sub>2</sub> , P. Heinrich and F. Stuhl	199 (1995) 297
2	

Spectral bandshapes and intensities  An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	199 (1995) 163
Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K.	177 (1773) 103
Nayak and R.E. Huie	199 (1995) 275
Coupling of electronic and nuclear motion	
Theoretical charge-transfer cross-sections for $H^+ + HCl(X^{-1}\Sigma^+) \rightarrow H(^2S_g) + HCL^+$ (A $^2\Sigma^+$ ) from a diatomics-in-molecules effective Hamiltonian, P.J. Kuntz, I. Paidarová and R. Polák	199 (1995) 53
Energy transfer processes	
A simulation study of energy transfer in methyl isocyanide-inert gas collisions, L. Ming,	
T.D. Sewell and S. Nordholm	199 (1995) 83
Electronic quenching of $CH(A^2\Delta)$ and $NH(A^3\Pi)$ between 300 and 950 K, P. Heinrich and	177 (1775) 05
F. Stuhl	199 (1995) 105
Molecular photophysical processes	
An ab initio investigation of the infrared and visible-UV spectra of BN <sup>+</sup> , and photoionization spectrum of BN, R.C. Mawhinney, P.J. Bruna and F. Grein	199 (1995) 163
Luminescence spectra, yields and lifetimes	
The $A(0^+)-X(0^+)$ transition of BiBr: radiative lifetimes of the A state, E. Martínez, M.R.	
López, A. Notario and F. Poblete	199 (1995) 305
Coherence loss processes	
Effects of a quantum heat bath on the dynamics of a nonlinear subsystem: reduced density matrix approach, V. Szőcs, P. Baňacký and P. Reineker	199 (1995) 1
An exactly solvable model of the dipole-dipole relaxation of the electron spins of micellized radical pairs, S.V. Isakov, N.N. Lukzen, V.A. Morozov and R.Z. Sagdeev	199 (1995) 119
Non-linear responses (including optical)	
Electronic and Raman-type nonlinearities of thin films of oligomeric paraphenylene vinylenes, W. Werncke, M. Pfeiffer, T. Johr, A. Lau and HJ. Jüpner	199 (1995) 65
Large quadratic hyperpolarizabilities with donor-acceptor polyenes functionalized with strong donors. Comparison with donor-acceptor diphenylpolyenes, M. Blanchard-Desce,	
C. Runser, A. Fort, M. Barzoukas, JM. Lehn, V. Bloy and V. Alain	199 (1995) 253
Reactions (including dissociation)	
-gas phase	
A hard-sphere model for the reactions of two diatomic molecules with ionic bond, V.M.	
Azriel, L.Y. Rusin and M.B. Sevryuk	199 (1995) 195
Temperature dependence of the ultraviolet absorption cross section of CF <sub>3</sub> I, A. Fahr, A.K.	
Nayak and R.E. Huie	199 (1995) 275
Fano plot of the Paschen line of the excited hydrogen atom $(n = 4)$ produced in $e-H_2$	
collisions, N. Yonekura, K. Furuya, K. Nakashima and T. Ogawa	199 (1995) 313

#### -photochemical

Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff

199 (1995) 285

#### **Tunnelling**

Proton tunnelling reactions in pentacene doped benzoic acid crystals, P.F. Barbara, C. von Borczyskowski, R. Casalegno, A. Corval, C. Kryschi, Y. Romanowski and H.P. Trommsdorff

199 (1995) 285

#### Ionization (including Rydberg states)

Vibrational structure of the Ar-NO+ van der Waals cation, I. Fourré and M. Raoult

199 (1995) 215

#### Molecular motion (including diffusive)

Statistical mechanical simulations on properties of liquid pyridine, K. Sagarik and E. Spohr

199 (1995) 73

### Structure of solids and liquids

Raman spectra and relaxation in amorphous naphthalene, K. Ishii, H. Nakayama, M. Kawahara, K. Koyama, K. Ando and J. Yokoyama

199 (1995) 245